

2016

$\beta\ddot{y} \text{ — } - \frac{1}{2} \tilde{A} \ddot{A} \pm \tilde{A} \cdot \frac{1}{4} \mu \ddot{A} \pm^0 \acute{I} \gg^1 \tilde{A} \cdot \hat{A} \ddot{A} \cdot \hat{A}$   
 $\beta\ddot{y} \tilde{A} \ddot{A}^1 \hat{A} \pm^3 \acute{E}^3 - \hat{A} \pm \grave{A} \grave{\zeta} \parallel \cdot \frac{1}{4} \text{ — } \acute{E} \tilde{A} \cdot \hat{A} \gg \grave{\iota}^3$   
 $\beta\ddot{y} \grave{A} \pm \acute{A} \pm^2 \neg \tilde{A} \mu \acute{E} \frac{1}{2} \ddot{A} \grave{\zeta} \acute{A} \text{ ' } 1^0 \pm \text{ — } \grave{\zeta} \acute{A} \mu \gg \mu$   
 $\beta\ddot{y} \pm \frac{1}{2} \ddot{A} \pm^3 \acute{E} \frac{1}{2}^1 \tilde{A} \frac{1}{4} \grave{\zeta} \acute{I} \text{ (passing-on de}$

Zaprianos, Nikolaos

$\beta\ddot{y} \cdot^0 \acute{\iota} \tilde{A} \mu^1 \hat{A} \text{ — } \neg^0 \acute{\zeta} \acute{A} \gg \pm$

<http://hdl.handle.net/11728/8969>

Downloaded from HEPHAESTUS Repository, Neapolis University institutional repository



























